

Adding Sand Control record

1. First, select a **Well** record and a **Day** record from the **Well Operations** and **Day** selectors respectively.
2. Mouse-over the **ProNet** menu tab and select **Sand Control** from the drop down menu.
3. This will load the **Sand Control** page, showing the existing record associated with the selected **Well** and **Day** records.



Figure 1.1 Accessing Sand Control

4. Create new **Sand Control** by clicking the **Add New** button.



Figure 1.2 Add new Sand Control

5. Enter the **Sand Control Equipment Type**. This information is required and should not be left blank.

Figure 1.3 Entering the Sand Control Data

6. **Sand Control** has a sub-record called
 - a. **Material**
 - b. **Gravel**
7. Create new **Material** by clicking the **Add New** button.

Figure 1.4 Add new Material

8. Enter the relevant data in **Material**.

Figure 1.5 Entering the Material Data

9. Create new **Gravel** by clicking the [Add New](#) button.



Figure 1.6 Add new Gravel

10. Enter the relevant data in **Gravel**.

A screenshot of the "Gravel" form. The header bar is dark blue with "Gravel" in white. Below the header is a table with three columns: "Gravel Type", "Gravel Size (m)", and "Gravel Quality". The "Gravel Type" column has a checkbox. Below the table is a "Cancel" button. At the bottom of the form is an "Add Gravel" button.

Figure 1.7 Entering the Gravel Data

11. To save, click the [Confirm](#) button.